

COLIN



COLOURS | COLORES



Our projectors COLIN incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.


Nuestros proyectores COLIN incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.

430




LE COO

NANOCOLIN I
TRIMLESS STEPS



NANO COLIN IL

LED





7 / 12 W

DRIVER (NOT INCL)

CRI82	600 / 1050 lm	2700K	20°	035000101	○	12 W 98310116 TRIAC 98310114C DALI 98310536 CASAMBI 98310538 7 W 98310620 TRIAC 98310509C
				035000102	●	
				035000103	●	
			56°	035000201	○	
				035000202	●	
				035000203	●	
CRI85	650 / 1100 lm	3000K	20°	035000301	○	
				035000302	●	
				035000303	●	
			56°	035000401	○	
				035000402	●	
				035000403	●	
CRI85	700 / 1150 lm	4000K	20°	035000501	○	
				035000502	●	
				035000503	●	
			56°	035000601	○	
				035000602	●	
				035000603	●	

LED



TRIMLESS


7 / 12 W

DRIVER (NOT INCL)

CRI82	600 / 1050 lm	2700K	20°	035100101	○	12 W 98310116 TRIAC 98310114C DALI 98310536 CASAMBI 98310538 7 W 98310620 TRIAC 98310509C
				035100102	●	
				035100201	○	
			56°	035100202	●	
				035100301	○	
				035100302	●	
CRI85	650 / 1100 lm	3000K	20°	035100401	○	
				035100402	●	
				035100501	○	
			56°	035100502	●	
				035100601	○	
				035100602	●	

NANO COLIN₂L

LED



TRIMLESS
14 / 24 W



CRI82	1200 / 2100 lm	2700K	20°	035005001	○
				035005002	●
				035005003	●
			56°	035005101	○
				035005102	●
				035005103	●
CRI85	1300 / 2200 lm	3000K	20°	035005201	○
				035005202	●
				035005203	●
			56°	035005301	○
				035005302	●
				035005303	●
CRI85	1400 / 2300 lm	4000K	20°	035005401	○
				035005402	●
				035005403	●
			56°	035005501	○
				035005502	●
				035005503	●

DRIVER (NOT INCL.)

24 W 2 x 98310116
 TRIAC 2 x 9831011 4C
 DALI 2 x 98310536
 CASAMBI 2 x 98310538

14 W 2 x 98310620
 TRIAC 2 x 98310509C

LED



TRIMLESS
14 / 24 W

CRI82	1200 / 2100 lm	2700K	20°	035105001	○
				035105002	●
			56°	035105101	○
				035105102	●
CRI85	1300 / 2200 lm	3000K	20°	035105201	○
				035105202	●
				035105301	○
			56°	035105302	●
				035105401	○
				035105402	●
CRI85	1400 / 2300 lm	4000K	20°	035105501	○
				035105502	●
			56°	035105501	○
				035105502	●


DRIVER (NOT INCL.)

24 W 2 x 98310116
 TRIAC 2 x 9831011 4C
 DALI 2 x 98310536
 CASAMBI 2 x 98310538

14 W 2 x 98310620
 TRIAC 2 x 98310509C

MINI COLIN IL

LED



12 / 18 W

				DRIVER (NOT INCL.)	
CRI82	950 / 1450 lm	2700K	20°	033008301	○
				033008302	●
				033008303	●
			56°	033008401	○
				033008402	●
				033008403	●
CRI85	1000 / 1500 lm	3000K	20°	033008501	○
				033008502	●
				033008503	●
			56°	033008601	○
				033008602	●
				033008603	●
CRI85	1100 / 1600 lm	4000K	20°	033008701	○
				033008702	●
				033008703	●
			56°	033008801	○
				033008802	●
				033008803	●

12 W 98310116
 TRIAC 98310114C
 DALI 98310536
 CASAMBI 98310538

18 W 98310321
 TRIAC 98310321LC
 DALI 98310536
 CASAMBI 98310538

CRI95

17 / 24 W

				DRIVER (NOT INCL.)	
CRI95	1250 / 1800 lm	2700K	20°	033008901	○
				033008902	●
				033008903	●
			56°	033009001	○
				033009002	●
				033009003	●
CRI95	1300 / 1850 lm	3000K	20°	033009101	○
				033009102	●
				033009103	●
			56°	033009201	○
				033009202	●
				033009203	●
CRI95	1400 / 1950 lm	4000K	20°	033009301	○
				033009302	●
				033009303	●
			56°	033009401	○
				033009402	●
				033009403	●

17 W 98310321
 TRIAC 98310321LC
 DALI 98310536
 CASAMBI 98310538

24 W 98310233
 TRIAC 98310236C
 DALI 98310536
 CASAMBI 98310538

HIGH EFFICIENCY LED

24 W

DRIVER (NOT INCL.)

CRI82	2000 Lm	2700K	20°	033009501	○
				033009502	●
				033009503	●
	56°			033009601	○
				033009602	●
				033009603	●
CRI85	2050 Lm	3000K	20°	033009701	○
				033009702	●
				033009703	●
	56°			033009801	○
				033009802	●
				033009803	●
2150 Lm	4000K	20°	033009901	○	
			033009902	●	
			033009903	●	
	56°			033010001	○
				033010002	●
				033010003	●

24 W 98310233
 TRIAC 98310236C
 DALI 98310536
 CASAMBI 98310538

FOOD LIGHTING LED

24 W

DRIVER (NOT INCL.)

CRI85	1600 Lm	fruits	●	20°	033010101	○
					033010102	●
					033010103	●
	56°				033010201	○
					033010202	●
					033010203	●
CRI70	1700 Lm	fish	●	20°	033010301	○
					033010302	●
					033010303	●
	56°				033010401	○
					033010402	●
					033010403	●
CRI70	1500 Lm	meat	●	20°	033010501	○
					033010502	●
					033010503	●
	56°				033010601	○
					033010602	●
					033010603	●

24 W 98310233
 TRIAC 98310236C
 DALI 98310536
 CASAMBI 98310538

RETAIL LIGHTING LED

17 / 24 W

DRIVER (NOT INCL.)


CRI95	1300 / 1800 Lm	PEARL White 3100 K	20°	033010701	○	
				033010702	●	
				033010703	●	
	56°				033010801	○
					033010802	●
					033010803	●

17 W 98310321
 TRIAC 98310321LC
 DALI 98310536
 CASAMBI 98310538

24 W 98310233
 TRIAC 98310236C
 DALI 98310536
 CASAMBI 98310538

MINI COLIN₂L

LED



24 / 36 W

				DRIVER (NOT INCL.)	
CRI82	1900 / 2900 lm	2700K	20°	033010901	○
				033010902	●
				033010903	●
	2000 / 3000 lm	3000K	56°	033011001	○
				033011002	●
				033011003	●
CRI85	2000 / 3000 lm	3000K	20°	033011101	○
				033011102	●
				033011103	●
	2200 / 3200 lm	4000K	56°	033011201	○
				033011202	●
				033011203	●
			20°	033011301	○
				033011302	●
				033011303	●
			56°	033011401	○
				033011402	●
				033011403	●

24 W 2 x 98310116
 TRIAC 2 x 98310114C
 DALI 2 x 98310536
 CASAMBI 2 x 98310538

36 W 2 x 98310321
 TRIAC 2 x 98310321LC
 DALI 2 x 98310536
 CASAMBI 2 x 98310538

CRI95

34 / 48 W

				DRIVER (NOT INCL.)	
CRI95	2500 / 3600 lm	2700K	20°	033011501	○
				033011502	●
				033011503	●
	2600 / 3700 lm	3000K	56°	033011601	○
				033011602	●
				033011603	●
2800 / 3900 lm	4000K	20°	033011701	○	
			033011702	●	
			033011703	●	
			56°	033011801	○
				033011802	●
				033011803	●
			20°	033011901	○
				033011902	●
				033011903	●
			56°	033012001	○
				033012002	●
				033012003	●

34 W 2 x 98310321
 TRIAC 2 x 98310321LC
 DALI 2 x 98310536
 CASAMBI 2 x 98310538

48 W 2 x 98310233
 TRIAC 2 x 98310236C
 DALI 2 x 98310536
 CASAMBI 2 x 98310538

HIGH EFFICIENCY LED

48 W

DRIVER (NOT INCL.)

CRI82	4000 Lm	2700K	20°	033012101	○	48W 2 x 98310233 TRIAC 2 x 98310236C DALI 2 x 98310536 CASAMBI 2 x 98310538
				033012102	●	
				033012103	●	
			56°	033012201	○	
				033012202	●	
				033012203	●	
CRI85	4100 Lm	3000K	20°	033012301	○	
				033012302	●	
				033012303	●	
			56°	033012401	○	
				033012402	●	
				033012403	●	
CRI85	4300 Lm	4000K	20°	033012501	○	
				033012502	●	
				033012503	●	
			56°	033012601	○	
				033012602	●	
				033012603	●	

FOOD LIGHTING LED

48 W

DRIVER (NOT INCL.)

CRI85	3200 Lm	fruits	●	20°	033012701	○	48W 2 x 98310233 TRIAC 2 x 98310236C DALI 2 x 98310536 CASAMBI 2 x 98310538
					033012702	●	
					033012703	●	
				56°	033012801	○	
					033012802	●	
					033012803	●	
CRI70	3400 Lm	fish	●	20°	033012901	○	
					033012902	●	
					033012903	●	
				56°	033013001	○	
					033013002	●	
					033013003	●	
CRI70	3000 Lm	meat	●	20°	033013101	○	
					033013102	●	
					033013103	●	
				56°	033013201	○	
					033013202	●	
					033013203	●	

RETAIL LIGHTING LED

34 / 48 W

DRIVER (NOT INCL.)

CRI95	2600 / 3600 Lm	PEARL White 3100 K		20°	033013301	○	34 W 2 x 98310116 TRIAC 2 x 98310114C DALI 2 x 98310536 CASAMBI 2 x 98310538	
					033013302	●		
					033013303	●		
				56°	033013401	○		
					033013402	●		
					033013403	●		
								48W 2 x 98310233 TRIAC 2 x 98310236C DALI 2 x 98310536 CASAMBI 2 x 98310538

MINI COLIN³L

LED



36 / 54 W

DRIVER (NOT INCL.)

CRI82	2850 / 4350 lm	2700K	20°	033013501	○	36 W 3 x 98310116 TRIAC 3 x 98310114C DALI 3 x 98310536 CASAMBI 3 x 98310538 54 W 3 x 98310321 TRIAC 3 x 98310321LC DALI 3 x 98310536 CASAMBI 3 x 98310538
				033013502	●	
				033013503	●	
			56°	033013601	○	
				033013602	●	
				033013603	●	
CRI85	3000 / 4500 lm	3000K	20°	033013701	○	
				033013702	●	
				033013703	●	
			56°	033013801	○	
				033013802	●	
				033013803	●	
CRI85	3300 / 4800 lm	4000K	20°	033013901	○	
				033013902	●	
				033013903	●	
			56°	033014001	○	
				033014002	●	
				033014003	●	

CRI95

51 / 72 W

DRIVER (NOT INCL.)

CRI95	3750 / 5400 lm	2700K	20°	033014101	○	51 W 3 x 98310321 TRIAC 3 x 98310321LC DALI 3 x 98310536 CASAMBI 3 x 98310538 72 W 3 x 98310233 TRIAC 3 x 98310236C DALI 3 x 98310536 CASAMBI 3 x 98310538
				033014102	●	
				033014103	●	
			56°	033014201	○	
				033014202	●	
				033014203	●	
CRI95	3900 / 5550 lm	3000K	20°	033014301	○	
				033014302	●	
				033014303	●	
			56°	033014401	○	
				033014402	●	
				033014403	●	
CRI95	4200 / 5850 lm	4000K	20°	033014501	○	
				033014502	●	
				033014503	●	
			56°	033014601	○	
				033014602	●	
				033014603	●	

HIGH EFFICIENCY LED

72 W

DRIVER (NOT INCL.)

CRI	Lm	K	°	Code	Symbol	Driver
CRI82	6000 Lm	2700K	20°	033014701	○	72 W 3 x 98310233 TRIAC 3 x 98310236C DALI 3 x 98310536 CASAMBI 3 x 98310538
				033014702	●	
				033014703	●	
			56°	033014801	○	
				033014802	●	
				033014803	●	
CRI85	6150 Lm	3000K	20°	033014901	○	
				033014902	●	
				033014903	●	
			56°	033015001	○	
				033015002	●	
				033015003	●	
CRI85	6450 Lm	4000K	20°	033015101	○	
				033015102	●	
				033015103	●	
			56°	033015201	○	
				033015202	●	
				033015203	●	

FOOD LIGHTING LED

72 W

DRIVER (NOT INCL.)

CRI	Lm	Color	°	Code	Symbol	Driver
CRI85	4800 Lm	fruits ●	20°	033015301	○	72 W 3 x 98310233 TRIAC 3 x 98310236C DALI 3 x 98310536 CASAMBI 3 x 98310538
				033015302	●	
				033015303	●	
			56°	033015401	○	
				033015402	●	
				033015403	●	
CRI85	5100 Lm	fish ●	20°	033015501	○	
				033015502	●	
				033015503	●	
			56°	033015601	○	
				033015602	●	
				033015603	●	
CRI70	4500 Lm	meat ●	20°	033015701	○	
				033015702	●	
				033015703	●	
			56°	033015801	○	
				033015802	●	
				033015803	●	

RETAIL LIGHTING LED


51 / 72 W

DRIVER (NOT INCL.)

CRI	Lm	K	°	Code	Symbol	Driver
CRI95	3900 / 5400 Lm	PEARL White 3100 K	20°	033015901	○	51 W 3 x 98310116 TRIAC 3 x 98310114C DALI 3 x 98310536 CASAMBI 3 x 98310538
				033015902	●	
				033015903	●	
			56°	033016001	○	
				033016002	●	
				033016003	●	

COLIN IL

LED



18 / 25 W

				DRIVER (NOT INCL.)	
CRI82	1350 / 1850 Lm	2700K	20°	034008501	○
				034008502	●
				034008503	●
	1400 / 1900 Lm	3000K	56°	034008601	○
				034008602	●
				034008603	●
CRI85	1400 / 1900 Lm	3000K	20°	034008701	○
				034008702	●
				034008703	●
	1500 / 2000 Lm	4000K	56°	034008801	○
				034008802	●
				034008803	●
			20°	034008901	○
				034008902	●
				034008903	●
			56°	034009001	○
				034009002	●
				034009003	●

18 W 98310321
 TRIAC 98310321LC
 DALI 98310536
 CASAMBI 98310538

25 W 98310233
 TRIAC 98310236C
 DALI 98310536
 CASAMBI 98310538

CRI95
36 W

				DRIVER (NOT INCL.)	
CRI95	2800 Lm	2700K	20°	034009101	○
				034009102	●
				034009103	●
	2850 Lm	3000K	56°	034009201	○
				034009202	●
				034009203	●
2950 Lm	4000K	20°	034009301	○	
			034009302	●	
			034009303	●	
			56°	034009401	○
				034009402	●
				034009403	●
			20°	034009501	○
				034009502	●
				034009503	●
			56°	034009601	○
				034009602	●
				034009603	●

36 W 98310444
 DALI 98310536
 CASAMBI 98310538

HIGH EFFICIENCY LED
36 W





				DRIVER (NOT INCL.)	
CRI82	2950 m	2700K	20°	034009701	○
				034009702	●
				034009703	●
	3000 Lm	3000K	56°	034009801	○
				034009802	●
				034009803	●
CRI85	3000 Lm	3000K	20°	034009901	○
				034009902	●
				034009903	●
	3100 Lm	4000K	56°	034010001	○
				034010002	●
				034010003	●
			20°	034010101	○
				034010102	●
				034010103	●
			56°	034010201	○
				034010202	●
				034010203	●

36 W 98310444
 DALI 98310536
 CASAMBI 98310538

FOOD LIGHTING LED

24 / 36 W

DRIVER (NOT INCL.)


CRI85	1600 / 2350 Lm	fruits		20°	034010301	○	24 W 98310233 TRIAC 98310236C DALI 98310536 CASAMBI 98310538 36 W 98310444 DALI 98310536 CASAMBI 98310538
					034010302	●	
					034010303	●	
	1700 / 2450	fish		20°	034010401	○	
					034010402	●	
					034010403	●	
CRI70	1500 / 2250 Lm	meat		20°	034010501	○	
					034010502	●	
					034010503	●	
	56°		034010601	○			
			034010602	●			
			034010603	●			
CRI70	1500 / 2250 Lm	meat		20°	034010701	○	
					034010702	●	
					034010703	●	
	56°		034010801	○			
			034010802	●			
			034010803	●			

RETAIL LIGHTING LED

24 / 36 W

DRIVER (NOT INCL.)

CRI95	1800 / 2700 Lm	PEARL White 3100 K		20°	034010901	○	24 W 98310233 TRIAC 98310236C DALI 98310536 CASAMBI 98310538 36 W 98310444 DALI 98310536 CASAMBI 98310538
					034010902	●	
					034010903	●	
	56°		034011001	○			
			034011002	●			
			034011003	●			



QR - III LED


MAX. 12 W LED

SOCKET I*G53	12 V	ELECTRONIC GEAR NOT INCLUDED 98111020	03400401	○
			03400402	●
			03400403	●

*Bulb not included

COLIN₂L

LED



36 / 50 W

DRIVER (NOT INCL.)

CRI82	2700 / 3700 lm	2700K	20°	034011101	○
				034011102	●
				034011103	●
	2800 / 3800 lm	3000K	20°	034011201	○
				034011202	●
				034011203	●
CRI85	2800 / 3800 lm	3000K	20°	034011301	○
				034011302	●
				034011303	●
	3000 / 4000 lm	4000K	20°	034011401	○
				034011402	●
				034011403	●
3000 / 4000 lm	4000K	20°	034011501	○	
			034011502	●	
			034011503	●	
3000 / 4000 lm	4000K	56°	034011601	○	
			034011602	●	
			034011603	●	

36 W 2 x 9831032 I
 TRIAC 2 x 9831032 I LC
 DALI 2 x 98310536
 CASAMBI 2 x 98310538

50 W 2 x 98310233
 TRIAC 2 x 98310236C
 DALI 2 x 98310536
 CASAMBI 2 x 98310538

CRI95

72 W

DRIVER (NOT INCL.)

CRI95	5600 lm	2700K	20°	034011701	○
				034011702	●
				034011703	●
	5700 lm	3000K	20°	034011801	○
				034011802	●
				034011803	●
5700 lm	3000K	20°	034011901	○	
			034011902	●	
			034011903	●	
5900 lm	4000K	20°	034012001	○	
			034012002	●	
			034012003	●	
5900 lm	4000K	20°	034012101	○	
			034012102	●	
			034012103	●	
5900 lm	4000K	56°	034012201	○	
			034012202	●	
			034012203	●	

72 W 2 x 98310444
 DALI 2 x 98310536
 CASAMBI 2 x 98310538

HIGH EFFICIENCY LED

72 W

DRIVER (NOT INCL.)




CRI82	5900 lm	2700K	20°	034012301	○
				034012302	●
				034012303	●
	6000 lm	3000K	20°	034012401	○
				034012402	●
				034012403	●
CRI85	6000 lm	3000K	20°	034012501	○
				034012502	●
				034012503	●
	6200 lm	4000K	20°	034012601	○
				034012602	●
				034012603	●
6200 lm	4000K	56°	034012701	○	
			034012702	●	
			034012703	●	
6200 lm	4000K	56°	034012801	○	
			034012802	●	
			034012803	●	

72 W 2 x 98310444
 DALI 2 x 98310536
 CASAMBI 2 x 98310538

FOOD LIGHTING LED

48 / 72 W

DRIVER (NOT INCL.)


CRI85	3200 / 4700 lm	fruits		20°	034012901	○	48 W 2 x 98310233 TRIAC 2 x 98310236C DALI 2 x 98310536 CASAMBI 2 x 98310538 72 W 2 x 98310444 DALI 2 x 98310536 CASAMBI 2 x 98310538
					034012902	●	
					034012903	●	
	56°	034013001	○				
		034013002	●				
		034013003	●				
CRI70	3400 / 4900 lm	fish		20°	034013101	○	
					034013102	●	
					034013103	●	
	56°	034013201	○				
		034013202	●				
		034013203	●				
CRI70	3000 / 4500 lm	meat		20°	034013301	○	
					034013302	●	
					034013303	●	
	56°	034013401	○				
		034013402	●				
		034013403	●				

RETAIL LIGHTING LED

48 / 72 W

DRIVER (NOT INCL.)

CRI95	3600 / 5400 lm	PEARL White 3100 K		20°	034013501	○	48 W 2 x 98310233 TRIAC 2 x 98310236C DALI 2 x 98310536 CASAMBI 2 x 98310538 72 W 2 x 98310444 DALI 2 x 98310536 CASAMBI 2 x 98310538
					034013502	●	
					034013503	●	
				56°	034013601	○	
					034013602	●	
					034013603	●	



QR KIT LED


MAX. 2 X I2 W LED

SOCKET 2*G53	12 V	ELECTRONIC GEAR NOT INCLUDED 98III020	03400501	○
			03400502	●
			03400503	●

*Bulb not included

COLIN³L

LED



54 / 75 W

DRIVER (NOT INCL.)

CRI82	4050 / 3700 lm	2700K	20°	034013701	○	36 W 3 x 98310321 TRIAC 3 x 98310321LC DALI 3 x 98310536 CASAMBI 3 x 98310538 50 W 3 x 98310233 TRIAC 3 x 98310236C DALI 3 x 98310536 CASAMBI 3 x 98310538
				034013702	●	
				034013703	●	
		034013801	○			
		034013802	●			
		034013803	●			
CRI85	4200 / 5700 lm	3000K	20°	034013901	○	
				034013902	●	
				034013903	●	
		034014001	○			
		034014002	●			
		034014003	●			
	4500 / 6000 lm	4000K	20°	034014101	○	
				034014102	●	
				034014103	●	
		034014201	○			
		034014202	●			
		034014203	●			

CRI95

108 W

DRIVER (NOT INCL.)

CRI95	8400 lm	2700K	20°	034014301	○	72 W 3 x 98310444 DALI 3 x 98310536 CASAMBI 3 x 98310538
				034014302	●	
				034014303	●	
		034014401	○			
		034014402	●			
		034014403	●			
	8550 lm	3000K	20°	034014501	○	
				034014502	●	
				034014503	●	
		034014601	○			
		034014602	●			
		034014603	●			
	8850 lm	4000K	20°	034014701	○	
				034014702	●	
				034014703	●	
		034014801	○			
		034014802	●			
		034014803	●			

HIGH EFFICIENCY LED

108 W

DRIVER (NOT INCL.)

CRI82	8850 lm	2700K	20°	034014901	○	72 W 3 x 98310444 DALI 3 x 98310536 CASAMBI 3 x 98310538
				034014902	●	
				034014903	●	
		034015001	○			
		034015002	●			
		034015003	●			
CRI85	9000 lm	3000K	20°	034015101	○	
				034015102	●	
				034015103	●	
		034015201	○			
		034015202	●			
		034015203	●			
	9300 lm	4000K	20°	034015301	○	
				034015302	●	
				034015303	●	
		034015401	○			
		034015402	●			
		034015403	●			

FOOD LIGHTING LED


72 / 108 W

					DRIVER (NOT INCL.)	
CRI85	4800 / 7050 lm	fruits	●	20°	034015501 ○	48 W 3 x 98310233 TRIAC 3 x 98310236C DALI 3 x 98310536 CASAMBI 3 x 98310538
					034015502 ●	
					034015503 ●	
	5100 / 7350 lm	fish	●	20°	034015601 ○	
					034015602 ●	
					034015603 ●	
CRI70	4500 / 6750 lm	meat	●	20°	034015701 ○	72 W 3 x 98310444 DALI 3 x 98310536 CASAMBI 3 x 98310538
					034015702 ●	
					034015703 ●	
	56°				034015801 ○	
					034015802 ●	
					034015803 ●	
CRI95	5400 / 8100 lm	PEARL White 3100 K		20°	034015901 ○	48 W 3 x 98310233 TRIAC 3 x 98310236C DALI 3 x 98310536 CASAMBI 3 x 98310538
					034015902 ●	
					034015903 ●	
	56°				034016001 ○	
					034016002 ●	
					034016003 ●	

RETAIL LIGHTING LED

72 / 108 W

					DRIVER (NOT INCL.)	
CRI95	5400 / 8100 lm	PEARL White 3100 K		20°	034016101 ○	48 W 3 x 98310233 TRIAC 3 x 98310236C DALI 3 x 98310536 CASAMBI 3 x 98310538
					034016102 ●	
					034016103 ●	
	56°				034016201 ○	
					034016202 ●	
					034016203 ●	



QR KIT LED

MAX. 3 X 12 W


SOCKET 3*G53	12 V	ELECTRONIC GEAR NOT INCLUDED 98III020	03400601 ○ 03400602 ● 03400603 ●
--------------	------	--	--

*Bulb not included

TEKO



COLOURS | COLORES



VS LIGHTING
SOLUTIONS

Our projectors TEKO incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.
Nuestros proyectores TEKO incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.

446